EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S54	2918	713/168.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 10:56
S55	461	380/247.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 10:56
S56	1256	380/270.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 10:56
S57	347	authenticat$3 near3 (protocol near3 (second multiple different))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 10:57
S58	42	S54 and authenticat$3 near3 (protocol near3 (second multiple different))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 10:58
S59	8	S55 and authenticat$3 near3 (protocol near3 (second multiple different))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 10:58
S60	10	S56 and authenticat$3 near3 (protocol near3 (second multiple different))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 10:58
S61	70	authenticat$3 near3 (protocol near3 (second multiple different)) and ((bind$3 combin$3 join$3 link$3) near3 (protocol algorithm))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:00
S62	16	S54 and authenticat$3 near3 (protocol near3 (second multiple different)) and ((bind$3 combin$3 join$3 link$3) near3 (protocol algorithm))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:00

S63	3	S55 and authenticat$3 near3 (protocol near3 (second multiple different)) and ((bind$3 combin$3 join$3 link$3) near3 (protocol algorithm))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:00
S64	3	S56 and authenticat$3 near3 (protocol near3 (second multiple different)) and ((bind$3 combin$3 join$3 link$3) near3 (protocol algorithm))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:00
S65	265	(generat$3 creat$3 deriv$3 form$3) near3 key with test$3 and (protocol near3 (first second any many multiple plurality))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:11
S66	18	S54 and (generat$3 creat$3 deriv$3 form$3) near3 key with test$3 and (protocol near3 (first second any many multiple plurality))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:11
S67	0	S55 and (generat$3 creat$3 deriv$3 form$3) near3 key with test$3 and (protocol near3 (first second any many multiple plurality))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:12
S68	0	S56 and (generat$3 creat$3 deriv$3 form$3) near3 key with test$3 and (protocol near3 (first second any many multiple plurality))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:12
S69	349	(generat$3 creat$3 deriv$3 form$3) near3 (test$3 near2 key)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:13
S70	23	S54 and (generat$3 creat$3 deriv$3 form$3) near3 (test$3 near2 key)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:13

S71	4	S55 and (generat$3 creat$3 deriv$3 form$3) near3 (test$3 near2 key)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:13
S72	1	S56 and (generat$3 creat$3 deriv$3 form$3) near3 (test$3 near2 key)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:13
S73	239	(authentication near3 protocol) near4 (link$3 join$3 combin$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:15
S74	21	S54 and (authentication near3 protocol) near4 (link$3 join$3 combin$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:15
S75	3	S55 and (authentication near3 protocol) near4 (link$3 join$3 combin$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:15
S76	6	S56 and (authentication near3 protocol) near4 (link$3 join$3 combin$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:15
S77	0	(authentication near3 protocol) near4 (link$3 join$3 combin$3) with (shar$3 near3 key)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:16
S78	5	(authentication near3 protocol) near4 (link$3 join$3 combin$3) same (shar$3 near3 key)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:16
S79	2467	(authentication near3 protocol) and (challeng$3 respons$3 handshak$3) with key	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:18
S80	248	S54 and (authentication near3 protocol) and (challeng$3 respons$3 handshak$3) with key	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:18
S81	50	S55 and (authentication near3 protocol) and (challeng$3 respons$3 handshak$3) with key	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:18

S82	98	S56 and (authentication near3 protocol) and (challeng$3 respons$3 handshak$3) with key	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:18
S83	2416	(test$3 verify$3 validat$3 authoriz$3) near3 (data key secret) and (authentication near3 protocol) and (challeng$3 respons$3 handshak$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:20
S84	174	S54 and (test$3 verify$3 validat$3 authoriz$3) near3 (data key secret) and (authentication near3 protocol) and (challeng$3 respons$3 handshak$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:20
S85	26	S55 and (test$3 verify$3 validat$3 authoriz$3) near3 (data key secret) and (authentication near3 protocol) and (challeng$3 respons$3 handshak$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:20
S86	48	S56 and (test$3 verify$3 validat$3 authoriz$3) near3 (data key secret) and (authentication near3 protocol) and (challeng$3 respons$3 handshak$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:20
S87	53	S54 and (test$3 verify$3 validat$3 authoriz$3) near3 (data key secret) same (challeng$3 respons$3 handshak$3)and (authentication near3 protocol)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:21

S88	573	(test$3 verify$3 validat$3 authoriz$3) near3 (data key secret) same (challeng$3 respons$3 handshak$3)and (authentication near3 protocol)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:21
S89	41	(test$3 verify$3 validat$3 authoriz$3) near3 (data key secret) same (challeng$3 respons$3 handshak$3) and (multiple plurality different second first) near3 (authentication near3 protocol)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:22
S90	8	S54 and (test$3 verify$3 validat$3 authoriz$3) near3 (data key secret) same (challeng$3 respons$3 handshak$3) and (multiple plurality different second first) near3 (authentication near3 protocol)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:23
S91	0	S55 and (test$3 verify$3 validat$3 authoriz$3) near3 (data key secret) same (challeng$3 respons$3 handshak$3) and (multiple plurality different second first) near3 (authentication near3 protocol)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:23
S92	1	S56 and (test$3 verify$3 validat$3 authoriz$3) near3 (data key secret) same (challeng$3 respons$3 handshak$3) and (multiple plurality different second first) near3 (authentication near3 protocol)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:23
S93	1060	713/150.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:25

S94	6	S93 and authenticat $3 near3 (protocol near3 (second multiple different))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:25
S95	1	S93 and authenticat $3 near3 (protocol near3 (second multiple different)) and ((bind$3 combin $3 join$3 link$3) near3 (protocol algorithm))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:26
S96	3	S93 and (generat$3 creat$3 deriv$3 form $3) near3 key with test$3 and (protocol near3 (first second any many multiple plurality))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:26
S97	4	S93 and (authentication near3 protocol) near4 (link $3 join$3 combin$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:26
S98	36	S93 and (authentication near3 protocol) and (challeng$3 respons $3 handshak$3) with key	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:27
S99	8	S93 and (test$3 verify $3 validat$3 authoriz $3) near3 (data key secret) same (challeng $3 respons$3 handshak$3)and (authentication near3 protocol)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:27
S100	0	S93 and (test$3 verify $3 validat$3 authoriz $3) near3 (data key secret) same (challeng $3 respons$3 handshak$3) and (multiple plurality different second first) near3 (authentication near3 protocol)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:27
S101	1	shar$3 near3 key with (first second) near3 protocol with (bind$3 combin$3 join $3 link)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:29

S102	3	shar$3 near3 key with (first second) near3 protocol same (bind$3 combin$3 join $3 link)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:31
S103	40	shar$3 near3 key with (first second) near3 protocol and (bind$3 combin$3 join $3 link)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:31
S104	6	S54 and shar$3 near3 key with (first second) near3 protocol and (bind$3 combin$3 join$3 link)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:32
S105	3	S55 and shar$3 near3 key with (first second) near3 protocol and (bind$3 combin$3 join$3 link)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:32
S106	3	S56 and shar$3 near3 key with (first second) near3 protocol and (bind$3 combin$3 join$3 link)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 11:32
S107	14	nyberg near1 kaisa.in.. in.	US-PGPUB; USPAT	OR	OFF	2009/10/19 11:35
S108	14	nyberg near1 kaisa.in.	US-PGPUB; USPAT	OR	OFF	2009/10/19 11:38
S109	47	niemi near1 valtteri. in.	US-PGPUB; USPAT	OR	OFF	2009/10/19 11:39
S110	61	asokan near1 nadarajah.in.	US-PGPUB; USPAT	OR	OFF	2009/10/19 11:50
S111	61	asokan near1 nadarajah.in.	US-PGPUB; USPAT	OR	OFF	2009/10/19 11:50
S112	97	link$3 near3 authentication near3 protocol	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 12:09
S113	8	S54 and link$3 near3 authentication near3 protocol	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 12:09
S114	0	S55 and link$3 near3 authentication near3 protocol	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 12:09
S115	1	S56 and link$3 near3 authentication near3 protocol	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 12:09

S116	141	authenticat$3 with (shar$3 near3 key) and (shar$3 near3 (challang$3 respons$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 12:10
S117	18	S54 and authenticat$3 with (shar$3 near3 key) and (shar$3 near3 (challang$3 respons$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 12:10
S118	9	S55 and authenticat$3 with (shar$3 near3 key) and (shar$3 near3 (challang$3 respons$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 12:10
S119	6	S56 and authenticat$3 with (shar$3 near3 key) and (shar$3 near3 (challang$3 respons$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 12:10
S120	11744	(authenticat$3 authoriz$3 validat$3 verify$3) same (ack acknowledg$3 handshak$3 "hand shak$3" challang$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 12:10
S121	292	S54 and (authenticat$3 authoriz$3 validat$3 verify$3) same (ack acknowledg$3 handshak$3 "hand shak$3" challang$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 12:11
S122	56	S55 and (authenticat$3 authoriz$3 validat$3 verify$3) same (ack acknowledg$3 handshak$3 "hand shak$3" challang$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 12:11
S123	126	S56 and (authenticat$3 authoriz$3 validat$3 verify$3) same (ack acknowledg$3 handshak$3 "hand shak$3" challang$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 12:11
S124	83	S56 and (authenticat$3 authoriz$3 validat$3 verify$3) with (ack acknowledg$3 handshak$3 "hand shak$3" challang$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 12:11

S125	139634	S54 and (authenticat $3 authoriz$3 validat $3 verify$3) swith (ack acknowledg$3 handshak$3 "hand shak$3" challang$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 12:11
S126	2	S54 and (authenticat $3 authoriz$3 validat $3 verify$3) same (ack acknowledg$3 handshak$3 "hand shak$3" challang$3) and (test near3 data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 12:12
S127	1	S56 and (authenticat $3 authoriz$3 validat $3 verify$3) with (ack acknowledg$3 handshak$3 "hand shak$3" challang$3) and (test near3 data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/19 12:12

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S128	0	(authenticat$5 protocol shar$3 key challeng$3 test data access$3 form$3 secret function).clm.	USPAT; UPAD	SAME	OFF	2009/10/19 11:56
S129	0	"1" and (authenticat $5 protocol shar$3 key challeng$3 test data access$3 form $3 secret function). clm.	USPAT; UPAD	SAME	OFF	2009/10/19 11:59
S130	0	"2" and (authenticat $5 protocol shar$3 key challeng$3 test data access$3 form $3 secret function). clm.	USPAT; UPAD	SAME	OFF	2009/10/19 11:59
S131	0	"3" and (authenticat $5 protocol shar$3 key challeng$3 test data access$3 form $3 secret function). clm.	USPAT; UPAD	SAME	OFF	2009/10/19 11:59

10/19/2009 2:54:42 PM
C:\ Documents and Settings\ aabyaneh\ My Documents\ EAST\ Workspaces\ 10528161.wsp